

Ouarda, Taha

Fiala, T.*, **Ouarda, T. B. M. J.**, & Hladný, J.* (2010). Evolution of low flows in the czech republic. *Journal of Hydrology*, 393(3-4), 206-218.

Fasbender, D.*, & **Ouarda, T. B. M. J.** (2010). Spatial bayesian model for statistical downscaling of AOGCM to minimum and maximum daily temperatures. *Journal of Climate*, 23(19), 5222-5242.

Tramblay, Y.*, **Saint-Hilaire, A.**, **Ouarda, T. B. M. J.**, Moatar, F., & Hecht, B.* (2010). Estimation of local extreme suspended sediment concentrations in california rivers. *Science of the Total Environment*, 408(19), 4221-4229.

Lee, T., & **Ouarda, T. B. M. J.** (2010). Long-term prediction of precipitation and hydrologic extremes with nonstationary oscillation processes. *Journal of Geophysical Research D: Atmospheres*, 115(13)

Daigle, A., **Ouarda, T. B. M. J.**, & Bilodeau, L. (2010). Comparison of parametric and non-parametric estimations of the annual date of positive water temperature onset. *Journal of Hydrology*, 390(1-2), 75-84.

Nezhad, M. K., Chokmani, K., **Ouarda, T. B. M. J.**, Barbet, M., & Bruneau, P. (2010). Regional flood frequency analysis using residual kriging in physiographical space. *Hydrological Processes*, 24(15), 2045-2055.

Khalil, B.*, **Ouarda, T. B. M. J.**, **St-Hilaire, A.**, & Chebana, F. (2010). A statistical approach for the rationalization of water quality indicators in surface water quality monitoring networks. *Journal of Hydrology*, 386(1-4), 173-185.

Zaier, I., Shu, C., **Ouarda, T. B. M. J.**, Seidou, O., & Chebana, F. (2010). Estimation of ice thickness on lakes using artificial neural network ensembles. *Journal of Hydrology*, 383(3-4), 330-340.

Bayentin, L., El Adlouni, S.*, **Ouarda, T. B. M. J.**, Gosselin, P., Doyon, B., & Chebana, F. (2010). Spatial variability of climate effects on ischemic heart disease hospitalization rates for the period 1989-2006 in quebec, canada. *International Journal of Health Geographics*, 9

Tramblay, Y.*, **Ouarda, T. B. M. J.**, **St-Hilaire, A.**, & Poulin, J. (2010). Regional estimation of extreme suspended sediment concentrations using watershed characteristics. *Journal of Hydrology*, 380(3-4), 305-317.

Aissaoui-Fqayeh, I., El-Adlouni, S.*, **Ouarda, T. B. M. J.**, & **St-Hilaire, A.** (2009). Non-stationary lognormal model development and comparison with the non-stationary GEV model. [Développement du modèle log-normal non-stationnaire et comparaison avec le modèle GEV non-stationnaire] *Hydrological Sciences Journal*, 54(6), 1141-1156.

Khalil, B.*, & **Ouarda, T. B. M. J.** (2009). Statistical approaches used to assess and redesign surface water-quality-monitoring networks. *Journal of Environmental Monitoring*, 11(11), 1915-1929.

Ouarda, T. B. M. J., & Shu, C. (2009). Regional low-flow frequency analysis using single and ensemble artificial neural networks. *Water Resources Research*, 45(11)

Chebana, F., & **Ouarda, T. B. M. J.** (2009). Index flood-based multivariate regional frequency analysis. *Water Resources Research*, 45(10)

- Cunderlik, J. M., & **Ouarda, T. B. M. J.** (2009). Trends in the timing and magnitude of floods in Canada. *Journal of Hydrology*, 375(3-4), 471-480.
- Beaulieu, C., Seidou, O., **Ouarda, T. B. M. J.**, & Zhang, X. (2009). Intercomparison of homogenization techniques for precipitation data continued: Comparison of two recent Bayesian change point models. *Water Resources Research*, 45(8)
- Chebana, F., **Ouarda, T. B. M. J.**, Bruneau, P., Barbet, M., El Adlouni, S.*, & Latraverse, M. (2009). Multivariate homogeneity testing in a northern case study in the province of Quebec, Canada. *Hydrological Processes*, 23(12), 1690-1700.
- Adlouni, S. E.*, & **Ouarda, T. B. M. J.** (2009). Joint Bayesian model selection and parameter estimation of the generalized extreme value model with covariates using birth-death Markov chain Monte Carlo. *Water Resources Research*, 45(6)
- Daigle, A.**, **St-Hilaire, A.**, Quellet, V., Corriveau, J., **Ouarda, T. B. M. J.**, & Bilodeau, L. (2009). Diagnostic study and modeling of the annual positive water temperature onset. *Journal of Hydrology*, 370(1-4), 29-38.
- Khaliq, M. N., **Ouarda, T. B. M. J.**, & Gachon, P. (2009). Identification of temporal trends in annual and seasonal low flows occurring in Canadian rivers: The effect of short- and long-term persistence. *Journal of Hydrology*, 369(1-2), 183-197.
- Khaliq, M. N., **Ouarda, T. B. M. J.**, Gachon, P., **Sushama, L.**, & **St-Hilaire, A.** (2009). Identification of hydrological trends in the presence of serial and cross correlations: A review of selected methods and their application to annual flow regimes of Canadian rivers. *Journal of Hydrology*, 368(1-4), 117-130.
- Spence, C., Hamilton, S., Whitfield, P. H., Demuth, M. N., Harvey, D., Hutchinson, D., et al. (2009). Invited commentary: A framework for integrated research and monitoring (FIRM). *Canadian Water Resources Journal*, 34(1), 1-6.
- Ribatet, M.*, **Ouarda, T. B. M. J.**, Sauquet, E.*, & Gresillon, J. -.* (2009). Modeling all exceedances above a threshold using an extremal dependence structure: Inferences on several flood characteristics. *Water Resources Research*, 45(3)
- Guillemette, N., **St-Hilaire, A.**, **Ouarda, T. B. M. J.**, Bergeron, N., Robichaud, E., & Bilodeau, L. (2009). Feasibility study of a geostatistical modelling of monthly maximum stream temperatures in a multivariate space. *Journal of Hydrology*, 364(1-2), 1-12.
- Hundecha, Y.*, **St-Hilaire, A.**, **Ouarda, T. B. M. J.**, El Adlouni, S.*, & Gachon, P. (2008). A nonstationary extreme value analysis for the assessment of changes in extreme annual wind speed over the Gulf of St. Lawrence, Canada. *Journal of Applied Meteorology and Climatology*, 47(11), 2745-2759.
- Nohair, M.*, **St-Hilaire, A.**, & **Ouarda, T. B.** (2008). The Bayesian-regularized neural network approach to model daily water temperature in a small stream. [Utilisation des réseaux de neurones et de la régularisation Bayésienne en modélisation de la température de l'eau en rivière] *Revue Des Sciences De l'Eau*, 21(3), 373-382.
- Chebana, F., & **Ouarda, T. B. M. J.** (2008). Depth and homogeneity in regional flood frequency analysis. *Water Resources Research*, 44(11)

- El Adlouni, S.* & **Ouarda, T. B. M. J.** (2008). Study of the joint law flow-level by copulas: Case of the chateauguay river. [Étude de la loi conjointe débit-niveau par les copules: Cas de la rivière Châteauguay] *Canadian Journal of Civil Engineering*, 35(10), 1128-1137.
- Khaliq, M. N., **Ouarda, T. B. M. J.**, Gachon, P., & **Sushama, L.** (2008). Temporal evolution of low-flow regimes in canadian rivers. *Water Resources Research*, 44(8)
- El Adlouni, S.*, Bobée, B., & **Ouarda, T. B. M. J.** (2008). On the tails of extreme event distributions in hydrology. *Journal of Hydrology*, 355(1-4), 16-33.
- Benyahya, L., **St-Hilaire, A.**, **Ouarda, T. B. M. J.**, Bobée, B., & Dumas, J.* (2008). Comparison of non-parametric and parametric water temperature models on the nivelle river, france. *Hydrological Sciences Journal*, 53(3), 640-655.
- Spence, C., Whitfield, P. H., & **Ouarda, T. B. M. J.** (2008). Introduction to the special issue on low-flow prediction in ungauged basins (PUB) in canada. *Canadian Water Resources Journal*, 33(2), 103-106.
- Ouarda, T. B. M. J.**, Charron, C., & **St-Hilaire, A.** (2008). Statistical models and the estimation of low flows. *Canadian Water Resources Journal*, 33(2), 195-206.
- Hessami, M.*, Gachon, P., **Ouarda, T. B. M. J.**, & **St-Hilaire, A.** (2008). Automated regression-based statistical downscaling tool. *Environmental Modelling and Software*, 23(6), 813-834.
- Ahmadi-Nedushan, B., **St-Hilaire, A.**, Bérubé, M., **Ouarda, T. B. M. J.**, & Robichaud, E. (2008). Instream flow determination using a multiple input fuzzy-based rule system: A case study. *River Research and Applications*, 24(3), 279-292.
- Chokmani, K., **Ouarda, T. B. M. J.**, Hamilton, S., Ghedira, M. H.*, & Gingras, H. (2008). Comparison of ice-affected streamflow estimates computed using artificial neural networks and multiple regression techniques. *Journal of Hydrology*, 349(3-4), 383-396.
- Dibike, Y. B., Gachon, P., **St-Hilaire, A.**, **Ouarda, T. B. M. J.**, & **Nguyen, V. T. -.** (2008). Uncertainty analysis of statistically downscaled temperature and precipitation regimes in northern canada. *Theoretical and Applied Climatology*, 91(1-4), 149-170.
- Tramblay, Y.*, **St-Hilaire, A.**, & **Ouarda, T. B. M. J.** (2008). Frequency analysis of maximum annual suspended sediment concentrations in north america. *Hydrological Sciences Journal*, 53(1), 236-252.
- Beaulieu, C., Seidou, O., **Ouarda, T. B. M. J.**, Zhang, X., Boulet, G., & Yagouti, A. (2008). Intercomparison of homogenization techniques for precipitation data. *Water Resources Research*, 44(2)
- Shu, C., & **Ouarda, T. B. M. J.** (2008). Regional flood frequency analysis at ungauged sites using the adaptive neuro-fuzzy inference system. *Journal of Hydrology*, 349(1-2), 31-43.
- Ouarda, T. B. M. J.**, Bâ, K. M.*, Diaz-Delgado, C.*, Cârsteanu, A.*, Chokmani, K., Gingras, H., et al. (2008). Intercomparison of regional flood frequency estimation methods at ungauged sites for a mexican case study. *Journal of Hydrology*, 348(1-2), 40-58.
- Hundecha, Y.*, **Ouarda, T. B. M. J.**, & Bárdossy, A.* (2008). Regional estimation of parameters of a rainfall-runoff model at ungauged watersheds using the "spatial" structures of the parameters within a canonical physiographic-climatic space. *Water Resources Research*, 44(1)

- Pavey, B., **Saint-Hilaire, A.**, Courtenay, S., **Ouarda, T.**, & Bobée, B. (2007). Exploratory study of suspended sediment concentrations downstream of harvested peat bogs. *Environmental Monitoring and Assessment*, 135(1-3), 369-382.
- Tramblay, Y.*, **Saint-Hilaire, A.**, & **Ouarda, T.** (2007). Modelling extreme suspended sediment concentrations in north america: Frequency analysis and correlations with watershed characteristics. Paper presented at the (314) 20-27.
- Joseph, G., Chokmani, K., **Ouarda, T. B. M. J.**, & **Saint-Hilaire, A.** (2007). An evaluation of the robustness of canonical kriging for regional analysis of streamflows. [Une évaluation de la robustesse de la méthode du krigeage canonique pour l'analyse régionale des débits] *Revue Des Sciences De l'Eau*, 20(4), 367-380.
- Burn, D. H., **Ouarda, T. B. M. J.**, & Shu, C. (2007). Estimation of extreme flow quantiles and quantile uncertainty for ungauged catchments. Paper presented at the (313) 417-424.
- Cunderlik, J. M., & **Ouarda, T. B. M. J.** (2007). Regional flood-rainfall duration-frequency modeling at small ungaged sites. *Journal of Hydrology*, 345(1-2), 61-69.
- Leclerc, M., & **Ouarda, T. B. M. J.** (2007). Non-stationary regional flood frequency analysis at ungauged sites. *Journal of Hydrology*, 343(3-4), 254-265.
- El Adlouni, S.*, Beaulieu, C., **Ouarda, T. B. M. J.**, Gosselin, P. L.*, & **Saint-Hilaire, A.** (2007). Effects of climate on west Nile virus transmission risk used for public health decision-making in Quebec. *International Journal of Health Geographics*, 6
- Benyahya, L., Caissie, D., **St-Hilaire, A.**, **Ouarda, T. B. M. J.**, & Bobée, B. (2007). A review of statistical water temperature models. *Canadian Water Resources Journal*, 32(3), 179-192.
- Ribatet, M.*, Sauquet, E.*, Grésillon, J. M.*, & **Ouarda, T. B. M. J.** (2007). Usefulness of the reversible jump markov chain monte carlo model in regional flood frequency analysis. *Water Resources Research*, 43(8)
- Seidou, O., Asselin, J. J., & **Ouarda, T. B. M. J.** (2007). Bayesian multivariate linear regression with application to change point models in hydrometeorological variables. *Water Resources Research*, 43(8)
- Chebana, F., & **Ouarda, T. B. M. J.** (2007). Multivariate L-moment homogeneity test. *Water Resources Research*, 43(8)
- Seidou, O., & **Ouarda, T. B. M. J.** (2007). Recursion-based multiple changepoint detection in multiple linear regression and application to river streamflows. *Water Resources Research*, 43(7)
- Shu, C., & **Ouarda, T. B. M. J.** (2007). Flood frequency analysis at ungauged sites using artificial neural networks in canonical correlation analysis physiographic space. *Water Resources Research*, 43(7)
- Benyahya, L., **St-Hilaire, A.**, **Ouarda, T. B. M. J.**, Bobée, B., & Ahmadi-Nedushan, B. (2007). Modeling of water temperatures based on stochastic approaches: Case study of the deschutes river. *Journal of Environmental Engineering and Science*, 6(4), 437-448.
- Beauchesne, I., Cheikh, R. B.*, Mercier, G., Blais, J. -, & **Ouarda, T.** (2007). Chemical treatment of sludge: In-depth study on toxic metal removal efficiency, dewatering ability and fertilizing property preservation. *Water Research*, 41(9), 2028-2038.

- Khaliq, M. N., **Ouarda, T. B. M. J.**, **St.-Hilaire, A.**, & Gachon, P. (2007). Bayesian change-point analysis of heat spell occurrences in montreal, canada. *International Journal of Climatology*, 27(6), 805-818.
- Khaliq, M. N., & **Ouarda, T. B. M. J.** (2007). On the critical values of the standard normal homogeneity test (SNHT). *International Journal of Climatology*, 27(5), 681-687.
- Ribatet, M.*, Sauquet, E.*, Grésillon, J. -.*, & **Ouarda, T. B. M. J.** (2007). A regional bayesian POT model for flood frequency analysis. *Stochastic Environmental Research and Risk Assessment*, 21(4), 327-339.
- Ouachani, R.*, Bargaoui, Z.*, & **Ouarda, T.** (2007). Integration of a kalman filter in the HBV hydrological model for runoff forecasting. [Intégration d'un filtre de Kalman dans le modèle hydrologique HBV pour la prévision des débits] *Hydrological Sciences Journal*, 52(2), 318-337.
- Seidou, O., **Ouarda, T. B. M. J.**, & Bilodeau, L. (2007). Reservoir storage loss due to grounded ice during winter operation. *Journal of Hydrology*, 335(1-2), 15-24.
- Cunderlik, J. M., Jourdain, V., **Ouarda, T. B. M. J.**, & Bobée, B. (2007). Local non-stationary flood-duration-frequency modelling. *Canadian Water Resources Journal*, 32(1), 43-58.
- El Adlouni, S.,* **Ouarda, T. B. M. J.**, Zhang, X., Roy, R., & Bobée, B. (2007). Generalized maximum likelihood estimators for the nonstationary generalized extreme value model. *Water Resources Research*, 43(3)
- Beaulieu, C., **Ouarda, T. B. M. J.**, & Seidou, O. (2007). A review of homogenization techniques for climate data and their applicability to precipitation series. [Synthèse des techniques d'homogénéisation des séries climatiques et analyse d'applicabilité aux séries de précipitations] *Hydrological Sciences Journal*, 52(1), 18-37.
- Khaliq, M. N., Gachon, P., **St.-Hilaire, A.**, **Ouarda, T. B. M. J.**, & Bobée, B. (2007). Southern quebec (canada) summer-season heat spells over the 1941-2000 period: An assessment of observed changes. *Theoretical and Applied Climatology*, 88(1-2), 83-101.
- Ahmadi-Nedushan, B., **St.-Hilaire, A.**, **Ouarda, T. B. M. J.**, Bilodeau, L., Robichaud, É., Thiémonge, N., et al. (2007). Predicting river water temperatures using stochastic models: Case study of the moisie river (québec, canada). *Hydrological Processes*, 21(1), 21-34.
- Ribatet, M.*, Sauquet, E.*, Gresillon, J. -.*, & **Ouarda, T. B. M. J.** (2006). Bayesian priors based on regional information: Application to regional flood frequency analysis. Paper presented at the (308) 226-231.
- Herrera, E., **Ouarda, T. B. M. J.**, & Bobée, B. (2006). Downscaling methods applied to atmosphere-ocean general circulation models (AOGCM). [Méthodes de désagrégation Appliquées aux Modèles du Climat Global Atmosphère-Océan (MCGAO)] *Revue Des Sciences De l'Eau*, 19(4), 297-312.
- Seidou, O., **Ouarda, T. B. M. J.**, Bilodeau, L., Hessami, M.*, **St.-Hilaire, A.**, & Bruneau, P. (2006). Modeling ice growth on canadian lakes using artificial neural networks. *Water Resources Research*, 42(11)
- Seidou, O., **Ouarda, T. B. M. J.**, Barbet, M., Bruneau, P., & Bobée, B. (2006). A parametric bayesian combination of local and regional information in flood frequency analysis. *Water Resources Research*, 42(11)

- Ouarda, T. B. M. J.**, Cunderlik, J. M., **St-Hilaire, A.**, Barbet, M., Bruneau, P., & Bobée, B. (2006). Data-based comparison of seasonality-based regional flood frequency methods. *Journal of Hydrology*, 330(1-2), 329-339.
- Khaliq, M. N., **Ouarda, T. B. M. J.**, Ondo, J. -, Gachon, P., & Bobée, B. (2006). Frequency analysis of a sequence of dependent and/or non-stationary hydro-meteorological observations: A review. *Journal of Hydrology*, 329(3-4), 534-552.
- St-Hilaire, A.**, Courtenay, S. C., Diaz-Delgado, C.*, Pavey, B., **Ouarda, T. B. M. J.**, Boghen, A., et al. (2006). Suspended sediment concentrations downstream of a harvested peat bog: Analysis and preliminary modelling of exceedances using logistic regression. *Canadian Water Resources Journal*, 31(3), 139-156.
- Cunderlik, J. M., & **Ouarda, T. B. M. J.** (2006). Regional flood-duration-frequency modeling in the changing environment. *Journal of Hydrology*, 318(1-4), 276-291.